

# **BID BULLETIN**



### **Upcoming Projects from Public Works-Engineering**

General Information		Jun	e 20, 2014
	PAVING PROJECT		
The City of Wichita receives			
bids at the Purchasing office	135th Street West, Maple to Central Paving Improvements		
(455 N.Main, 12th Floor) up	472-84308 205414		
to 10:00 a.m. on the Friday	LUMP SUM BID ITEMS		
specified for each project in	Field Office & Laboratory (Type A)	1	LS
this bulletin. All bids	Mobilization	1	LS
received online and/or on	Site Clearing	1	LS
paper will thereafter be	Site Restoration	1	LS
publicly opened, read	Fence Removed	1	LS
aloud, and considered by	Removal of Existing Structures	1	LS
the Board of Bids and by	Transportation of Salvaged Material	1	LS
City Council. The Wichita	Excavation	27,058	су
City Council reserves the	Fill, Compacted (95% Density)	1,829	су
right to reject any and all	Fill, Loose	2,858	су
bids.	Grading, Ditch	1	LS
	Pavement &/or Curb Removed	15,184	sy
Plans & Specifications for	Concrete Driveway Removed	730	sy
these projects are generally	Concrete Sidewalk Removed	118	sy
available 10 days prior to	Concrete Flume Removed	98	lf
the bid date unless other-	AC Pavement 5" (3" Base)	751	sy
wise specified. All work is	AC Pavement 7" (5" Base)	18,917	sy
to be done under direction	Concrete Pavement (VG) 8" Reinf.	1,130	sy
and supervision of the City	Concrete Curb & Gutter Type 1 (6" & 1 1/2")	8,781	lf
Manager and according to	Concrete Curb & Gutter Type 2 (6" & 1 1/2")	201	lf
the plans & specifications	Concrete Curb & Gutter Type 3 (8" & 1 1/2")	706	lf
on file in the City Engineer's	Concrete Curb & Gutter Type 4 (6 5/8" & 1 1/2")	330	lf
Office. Bidders are required	Concrete C+G, Mono Edge (6" & 1 1/2")	605	lf
to include a bid bond in the	Concrete Ramp Nose Section (Median)	7	ea
amount of five percent (5%)	Crushed Rock Base 5", Reinf.	790	sy
with each bid.	Crushed Rock Base 7", Reinf.	1,621	sy
	Crushed Rock Base 8", Reinf.	22,605	sy
Requests for the bid	Wheelchair Ramp w/ Detectable Warning	13	ea
documents & plans should	Handrail	112	lf
be directed to QuikPrint	MH Adjusted, SS	4	ea
(942-2208).	LUMP SUM BID ITEMS - Drainage		
Other questions should be	Pipe, SWS, RCP 15"	2,044	lf 
directed to the project	Pipe, SWS, RCP 18"	496	lf 
Engineer (268-4501).	Pipe, SWS, RCP 24"	337	lf 'f
	Pipe, SWS, RCP 30"	178	lf 
The successful bidder may	Pipe, SWS, RCP 36"	682	lf 
contact Kim Pelton	Pipe, SWS. RCP 48"	44	lf ''
(268-4499) for extra sets	Pipe, SWS, HERCP (29" x 45") (36")	239	lf 'r
of plans/specs.	Pipe, SWS, HERCP (34" x 53") (42")	458	lf 'r
	Pipe, SWS, RCBC (5' x 3')	296	lf 'r
	Pipe, SWS, RCBC (3 - 8' x 5')	56	lf
	Continued on Next Page	Page 1 of 4	
NOTE: All information	A minority/women-owned business is 51% owned and controlled by a minority or		
contained herein is	MBE/DBE classes are defined as: Asian (A) American Indian (AI) Black (B) H		
subject to change.	and Women-owned (WO). We appreciate your cooperation in providing this info		
,	the state of the s		



## **BID BULLETIN**



### **Upcoming Projects from Public Works-Engineering**

General Information	PAVING PROJECT	June	20, 2014
The City of Wichita receives	FAVING PROJECT		
bids at the Purchasing office	135th Street West, Maple to Central Paving Improvements - Continued		
(455 N.Main, 12th Floor) up	472-84308 205414		
to 10:00 a.m. on the Friday	LUMP SUM BID ITEMS - Drainage		
specified for each project in	Continued		
this bulletin. All bids	Wingwalls	4	ea
received online and/or on	Pipe, End Section (15")	1	ea
paper will thereafter be	Pipe, End Section (18")	1	ea
publicly opened, read	Pipe, End Section (36")	1	ea
aloud, and considered by	Pipe, End Section (48")	1	ea
the Board of Bids and by	Pipe, End Section (34" x 53")	1	ea
City Council. The Wichita	Inlet, Curb (Type 1A) (L=10' W=3')	5	ea
City Council reserves the	Inlet, Curb (Type 1A) (L=10' W=4')	1	ea
right to reject any and all	Inlet, Curb (Type 1A) (L=10' W=5')	5	ea
bids.	Inlet, Curb (Type 1A) (L=10' W=6')	3	ea
bids.	Inlet, Curb (Type 1A) (L=15' W=3')	5	ea
Plans & Specifications for	Inlet, Curb (Type 1A) (L=5' W=5')	1	ea
these projects are generally	Inlet, Curb (Type 1A) (L=5' W=3')	17	ea
available 10 days prior to	Inlet, Curb (Type 1A) (L=5' W=7.5')	1	ea
the bid date unless other-	Inlet, Drop (Double)	1	ea
wise specified. All work is	Inlet Hookup	38	ea
to be done under direction	Manhole, Connect to Existing	2	ea
and supervision of the City	Manhole, Shallow (Dia.= 4')	1	ea
Manager and according to	Manhole, Standard (Dia. = 4')	1	ea
the plans & specifications	Manhole, Standard (Dia. = 4)	2	ea
on file in the City Engineer's	MH, Reinforced Concrete (L = 7.5', W = 3')	1	ea
Office. Bidders are required	MH, Reinforced Concrete (L = $6'$ , W = $5'$ )	1	ea
to include a bid bond in the	MH, Water Quality (5')	1	ea
amount of five percent (5%)	MH, Water Quality (7')	2	ea
with each bid.	MH, Water Quality (8')	1	ea
with cach bid.	Rip Rap, Light Stone	168	sy
Requests for the bid	Sidewalk Flume	4	ea
documents & plans should	Concrete Flume	10	If
be directed to QuikPrint	Ditch Liner	884	sy
(942-2208).	Pipe Support Crossing	1	ea
Other questions should be	LUMP SUM BID ITEMS - Traffic	<u>'</u>	Ca
directed to the project	Pavement Marking	1	LS
Engineer (268-4501).	Signing, Except Street Name Signs	1	LS
Engineer (200 4301).	Signing, Street Name Signs Only	1	LS
The successful bidder may	Traffic Control	1	LS
contact Kim Pelton	LUMP SUM BID ITEMS - Landscaping	<u>'</u>	
(268-4499) for extra sets	Seeding	1	LS
of plans/specs.	Sodding	1	LS
or planto/opodo.	Continued on Next Page	1	
	Sommod St. Hoxer ago		
		Page 2 of 4	
NOTE: All information contained herein is	A minority/women-owned business is 51% owned and controlled by a minority or MBE/DBE classes are defined as: Asian (A) American Indian (AI) Black (B)		
subject to change.	and Women-owned (WO). We appreciate your cooperation in providing this info		
Janjoot to originge.	parts 110 miles (110). The appropriate your cooperation in providing this into		



subject to change.

## **BID BULLETIN**



#### **Upcoming Projects from Public Works-Engineering**

he City of Wichita receives	PAVING PROJECT		
ids at the Purchasing office	135th Street West, Maple to Central Paving Improvements - Continued		
455 N.Main, 12th Floor) up	472-84308 205414		
10:00 a.m. on the Friday	MEASURED QUANTITY BID ITEMS - Paving		
pecified for each project in	Concrete Driveway 8"	957	sf
is bulletin. All bids	Concrete Sidewalk 6"	1,574	sf
ceived online and/or on	Concrete Sidewalk 4"	27,924	sf
aper will thereafter be	Concrete Sidewalk 5"	44,190	sf
ublicly opened, read	Concrete Sidewalk Protection Curb	170	If
oud, and considered by	Retaining Wall (Block)	620	if
e Board of Bids and by	Retaining Wall (Gravity)	67	lf
ty Council. The Wichita	AC Pavement (Temporary)	300	sy
ty Council reserves the	Concrete Pavement 6"	125	sf
ht to reject any and all	Sleeves, 4" PVC	256	lf
ds.	Sleeves, 6" PVC	140	if
	MEASURED QUANTITY BID ITEMS - Water		
ans & Specifications for	Valve Box Adjusted	17	ea
ese projects are generally	Water Meter Adjusted	1	ea
ailable 10 days prior to	Fire Hydrant Adjusted	4	ea
e bid date unless other-	MEASURED QUANTITY BID ITEMS - Drainage		
se specified. All work is	Removed Pipe	730	lf
be done under direction	Pipe, Abandoned in Place	435	lf
d supervision of the City	Pipe, SWS, PVC 4", Perforated (Underdrain)	420	lf
anager and according to	Fill, Sand (Flushed & Vibrated)	4,770	lf
e plans & specifications	MEASURED QUANTITY BID ITEMS - Erosion Control	.,	
file in the City Engineer's	BMP, Back of Curb Protection	1,125	lf
ffice. Bidders are required	BMP, Construction Entrance	, 6	ea
include a bid bond in the	BMP, Curb Inlet Protection	34	ea
mount of five percent (5%)	BMP, Ditch Check	9	ea
th each bid.	BMP, Drop Inlet Protection	2	ea
	BMP, Silt Fence	5,800	lf
equests for the bid	BMP, Erosion Control Mat	5,801	sy
cuments & plans should	MEASURED QUANTITY BID ITEMS - Traffic Control	,	
directed to QuikPrint	Signing, Elec. Portable Message (each per day)	180	day
42-2208).	MEASURED QUANTITY BID ITEMS - Landscaping		-
her questions should be	Queen Elizabeth Maple (2 - 2 1/2" caliper)	4	ea
rected to the project	Shantung Maple (2 - 2 1/2" caliper)	12	ea
ngineer (268-4501).	Trident Maple (2 - 2 1/2" caliper)	7	ea
	Urbanite Ash (2 - 2 1/2" caliper)	8	ea
ne successful bidder may	Thornless Cockspur Hawthorn (1 1/2 - 2" caliper)	13	ea
ntact Kim Pelton	Oklahoma Redbud (1 1/2 - 2" caliper)	20	ea
68-4499) for extra sets	Canada Red Chokecherry (1 1/2 - 2" caliper)	17	ea
plans/specs.	Prairiefire Crab (1 1/2 - 2" caliper)	29	ea
	Continued on Next Page		
		Page 3 of 4	

and Women-owned (WO). We appreciate your cooperation in providing this information.



### **BID BULLETIN**



June 20, 2014

ea

ea

ea

ea

ea

ea ea

53

5

9

19

52

1

#### **Upcoming Projects from Public Works-Engineering**

General Information	- 11/1/10 1
	PAVING PROJECT
The City of Wichita receives	
bids at the Purchasing office	135th Street West, Maple to Central Paving Improvements - Continued
(455 N.Main, 12th Floor) up	472-84308 205414
to 10:00 a.m. on the Friday	MEASURED QUANTITY BID ITEMS - Landscaping
specified for each project in	Continued
this bulletin. All bids	Snow Drift Crab (1 1/2 - 2" caliper)
received online and/or on	Vanderwolf Limber Pine (5 - 6' height)
paper will thereafter be	Chinese Juniper (5 - 6' height)
publicly opened, read	Trees, Small Removed
aloud, and considered by	Trees, Large Removed
the Board of Bids and by	Gate Removal, Sta 121+30 Lt.
City Council. The Wichita	Gate Reset, Sta 121+30 Lt.
City Council reserves the	***********
right to reject any and all	
bids.	
Plans & Specifications for	
these projects are generally	
available 10 days prior to	
the bid date unless other-	
wise specified. All work is	
moo opoomoa. 7tii work io	

Requests for the bid documents & plans should be directed to QuikPrint (942-2208). Other questions should be directed to the project

with each bid.

to be done under direction and supervision of the City Manager and according to the plans & specifications on file in the City Engineer's Office. Bidders are required to include a bid bond in the amount of five percent (5%)

Engineer (268-4501).

The successful bidder may contact Kim Pelton (268-4499) for extra sets

of plans/specs.

NOTE: All information contained herein is subject to change.

A minority/women-owned business is 51% owned and controlled by a minority or women. MBE/DBE classes are defined as: Asian (A) American Indian (AI) Black (B) Hispanic (H) and Women-owned (WO). We appreciate your cooperation in providing this information.

Page 4 of 4